


BF1356-XXX-201

PREMIA: T375 Thermostatic Shower System

SPÉCIFICATIONS



Components included

- BF1398-XXX: Rainhead with vertical ceiling arm (2 direct positions and 1 shared position)
- 103579-XXX: 2-jet handshower (2 direct positions and 1 shared position)
- 103576: Wallbar
- 101620-XXX: 60" flexible and soft PVC hose
- BF1308: 3/4" Thermostatic valve and decorative trim
- BF1311: 3/4" Volume control valve and decorative trim (2x)
- 102857: Wall outlet with volume control
- 104777-110: Adjustable body jets (4x)

Colors (Finishes)

- Chrome: BF1359-110-201
- Chrome and black: BF1359-150-201

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1
ASME A112.18.1
Intertek ICC A117.1

See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.



^{*} XXX means that the finish color must be specified.



BF1398

PREMIA: Rainhead with vertical ceiling arm

SPECIFICATIONS

Features

Water 1/2" male inlet NPT
Dimensions: 200 x 319.5 mm (7 7/8"x 12 1/2")

• Anti-scale system with soft sprays

Adjustable orientation swivel

• 2 direct positions and 1 shared position

Colors (Finishes)

• Chrome: BF1398-110

Chrome and black: BF1398-150

Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



Packaging

• **Dimensions**: 340 mm x 210 mm x 82 mm (13 1/3" x 8 1/4" x 3 1/4")

• Volume: 0.21 cu ft (0.06 cu m)

• **Total weight**: 3,53 lb (1,6 kg)

Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com



103579

PREMIA: 2-jet handshower

SPECIFICATIONS

Features

- Dimension: 86 mm (3 3/8")
- Anti-scale system with soft sprays
- Water G1/2 male inlet
- 2 direct positions and 1 shared position

Colors (Finishes)

- Chrome: 103579-**110**
- Chrome and black: 103579-150

Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 272 mm x 108 mm x 45 mm (10 3/4" x 4 1/4" x 1 3/4")
- **Volume**: 0.05 cu ft (0.0013 cu m)
- **Total weight**: 0.57 lb (0.26 kg)

Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com f Ø ♯ ™

103576

Wallbar for handshower

SPECIFICATIONS

Features


- Total height of 775 mm (30 1/2")
- Easy-to-use gliding system
- Locking system

Colors (Finishes)

• Chrome: 103576-110

Packaging

- **Dimensions**: 798 mm x 205 mm x 89 mm (31 1/2" x 8" x 3 1/2")
- **Volume**: 0.27 cu ft (0.010 cu m)
- **Total weight**: 1.54 lb (0.7 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com f Ø ♯ ™



BF1308

3/4" Thermostatic Valve and Decorative Trim

SPECIFICATIONS

Features

- No visible screw
- Water 3/4" female inlet NPT threaded
- · Shut-off valves included
- · Solid brass construction
- Total adjustment of 19mm (3/4")
- Included support for better stability during installation

Colors (Finishes)

• Chrome: BF1308-110

Certifications

The specified model meets or exceeds the following standards:

• ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 362mm x 184mm x 191mm (14 1/4" x 7 1/4" x 7 1/2")
- **Volume**: 0.45 cu ft (0.013 cu m)
- **Total weight**: 6.01 lb (2.73 kg)

Maximum flow rate

• 55 liters/min. (14.5 gallons/min.) at 60 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 t. **1-418-387-9090 1 877 GO KALIA** (1-877-465-2542) f. 1-418-387-9089 www.KaliaStyle.com



BF1311

3/4" Volume Control Valve and Decorative Trim

SPECIFICATIONS

Features

- No visible screw
- Water 3/4" female inlet NPT threaded
- Solid brass construction

Colors (Finishes)

Chrome: BF1311-110

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")
- **Volume**: 0.12 cu ft (0.003 cu m)
- **Total weight**: 1.99 lb (0.9 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.



Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9

t. 1-418-387-9090 1 877 GO KALIA (1-877-465-2542) f. 1-418-387-9089 www.KaliaStyle.com



102857

Wall Outlet with Volume Control

SPECIFICATIONS

Features

- Water 1/2" female inlet NPT
- Water G1/2 male oulet
- Cartridge 3/4 with ceramic disc
- Solid brass construction
- Check valve included

Colors (Finishes)

Chrome: 102857-110

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")
- **Volume**: 0.12 cu ft (0.003 cu m)
- **Total weight**: 0.75 lb (0.34 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.



Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9

t. 1-418-387-9090 1 877 GO KALIA (1-877-465-2542) f. 1-418-387-9089 www.KaliaStyle.com



104777 Body jet

SPECIFICATIONS

Features

- Male water inlet 1/2 NPT
- Solid brass water raceway
- 20° adjustable spray head
- Slim profile
- 23 mm (7/8") installation adjustment
- · Round or square escutcheon trim finish
- Reccessed box included

Colors (Finishes)

• Chrome: 104777-110

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1




Packaging

- **Dimensions**: 370 mm x 190 mm x 205 mm (14 5/8" x 7 1/2" x 8 1/8")
- Volume: 0.014 m³ (0.51 pi³)
 Total weight: 0.66 kg (1.45 lb)

Maximum flow rate

• 3.8 litres/min. (1 gallons/min.) à 60 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com f ⊘ ♯