

BF1609-110-001

STANDARD: TD3 Thermostatic Shower System

SPECIFICATIONS



Components included

- BF1307-110: **AQUATONIK**TM type T/P 1/2" valve and decorative trim
- BF1539-110: 3-way 1/2" diverter and decorative trim (operates 1 or 2 components at a time)
- BF1394-110: Rainhead with vertical ceiling arm
- 103574-110: 2-jet handshower (2 direct functions and 1 shared function)
- 103576-110: Wallbar
- 101620-110: 60" flexible and soft PVC hose
- 102856-110: Wall outlet
- 102871-110: Tub spout

Colors (Finishes)

• Chrome: BF1609-110-001

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1
ASME A112.18.1
Intertek ICC A117.1

See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.







BF1307

AQUATONIKTM type T/P 1/2" valve and decorative trim

SPECIFICATIONS

Features

- Solid brass construction
- No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")

Colors (Finishes)

• Chrome: BF1307-**110**

Certifications

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1
- ICC A117.1



Packaging

• **Dimensions**: 370 mm x 190 mm x 205 mm (14 \(\frac{5}{8} \) x 7 \(\frac{1}{2} \) x 8 \(\frac{1}{8} \))

Volume: 0.014 cu m (0.51 cu ft)
Total weight: 2.48 kg (5.47 lb)

Maximum flow rate

• 30 liters/min. (7.9 gallons/min.) at 60 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com f ② ♯





BF1539

3-way 1/2" diverter and decorative trim

SPECIFICATIONS

Features

- Solid brass construction
- No visible screw
- Male water inlet 1/2NPT threaded or welded
- Total adjustment of 19 mm (3/4")
- Support for better stability during installation included
- Operates 1 or 2 components at a time

Colors (Finishes)

Chrome: BF1539-110

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 ASME A112.18.1

Packaging

- **Dimensions**: 315 mm x 125 mm x 115 mm $(12 \frac{3}{8}$ " x 4 $\frac{7}{8}$ " x 4 $\frac{1}{2}$ ")
- **Volume**: 0.004 cu m (0.16 cu ft)
- **Total weight**: 1.22 kg (2.69 lb)

Maximum flow rate

- 1 outlet: 22.5 liters/min. (6 gallons/min.) at 60 psi
- 2 outlets: 23.5 liters/min. (6.7 gallons/min.) at 60 psi





Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.







1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089





BF1394

STANDARD: Rainhead with vertical ceiling arm

SPECIFICATIONS

Features

- Water 1/2" male inlet NPT
- Diameter of 195 mm (7 11/16")
- Anti-scale system with soft sprays
- Adjustable orientation swivel

Colors (Finishes)

• Chrome: BF1394-**110**

Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions**: 205 mm x 205 mm x 85 mm (8" x 8" x 3 3/8")
- **Volume**: 0.14 cu ft (0.005 cu m)
- **Total weight**: 1.68 lb (0.76 kg)

Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com f ② ♯



103574

STANDARD: 2-jet handshower

SPÉCIFICATIONS

Features

Dimension: 106 mm (4 3/16")
Anti-scale system with soft sprays

• Male water inlet G1/2

• 2 direct functions and 1 shared function

· Plastic construction

Colors (Finishes)

• Chrome: 103574-110

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1

Packaging

• **Dimensions**: 340 mm x 300 mm x 60 mm (13 3/8" x 11 3/4" x 2 3/8")

Volume: 0.006 cu m (0.22 cu ft)
 Total weight: 0.48 kg (1.06 lb)

Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089



103576

Wallbar for handshower

SPECIFICATIONS

Features


- Total height of 775 mm (30 1/2")
- Easy-to-use gliding system
- Locking system

Colors (Finishes)

• Chrome: 103576-110

Packaging

- **Dimensions**: 798 mm x 205 mm x 89 mm (31 1/2" x 8" x 3 1/2")
- **Volume**: 0.27 cu ft (0.010 cu m)
- **Total weight**: 1.54 lb (0.7 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com f Ø ♯ ™



102856 Wall Outlet

SPÉCIFICATIONS

Features

- Male or female water inlet 1/2NPT
- Male water oulet G1/2
- · Solid brass construction

Colors (Finishes)

• Chrome: 102856-110

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1

Packaging

• Dimensions:

325 mm x 280 mm x 45 mm (12 3/4" x 11" x 1 3/4")

Volume: 0.004 cu m (0.14 cu ft)
Total weight: 0.4 kg (0.88 lb)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089





102871 **Tub Spout**

SPÉCIFICATIONS

Features

- Male water inlet 1/2NPT
- Solid brass construction
- Regular water jet
- High water flow

Colors (Finishes)

Chrome: 102871-110

Certifications


The specified model meets or exceeds the following standards;



CSA B125.1

Packaging

- **Dimensions:** 340 mm x 300 mm x 60 mm (13 3/8" x 11 3/4" x 2 3/8")
- **Volume**: 0.006 cu m (0.22 cu ft)
- **Total weight**: 0.7 kg (1.54 lb)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-87-465-2542) F 418 387-9089

